


501 P0918**00






FIG.2

FIG. 3




FIG.3



FIG.4




FIG. 5




FIG. 6A




FIG. 6B




FIG. 6C




FIG.7

FIG.8A




FIG.8B



FIG.8C




FIG.8D




FIG.8E




FIG.8F




FIG.8G





FIG.8H



102190-5E564860

a	b	a	a
a	b	a	b
a	b	a	a



a²	ab	a²
ab	b²	ab
a²	ab	a²

FIG.9

0087955-061201
102190-52552860




FIG.10






FIG. 12

DEGREE OF BLOCK CODING DIFFICULTY	FILTER COEFFICIENT α				
	Tab.15	Tab.14	...	Tab.1	Tab.0
15	15/16	15/16		6/16	0/16
14	15/16	15/16		5/16	0/16
13	14/16	14/16		5/16	0/16
12	14/16	13/16		4/16	0/16
11	13/16	13/16		3/16	0/16
10	13/16	12/16		2/16	0/16
...					
2	3/16	2/16		0/16	0/16
1	2/16	1/16		0/16	0/16
0	0/16	0/16		0/16	0/16

FIG.12

FIG. 13

DEGREE OF FIELD CODING DIFFICULTY	TABLE NUMBER (Table No.)				
	10Mbps	8Mbps	...	4Mbps	2Mbps
15	0	1		12	15
14	0	1		11	15
13	0	1		11	14
12	0	1		11	13
11	0	1		9	12
10	0	0		8	11
...					
2	0	0		1	3
1	0	0		0	2
0	0	0		0	0

FIG.13

FIG. 14




FIG.14




FIG.15




FIG.16